



Overview

Create or update contacts, and get processes data.

Allowed Requests

POST, PUT, GET, DELETE

Post Requests

Required Fields

process

Optional Fields

active

barcode

quantity_required

one_scan_completion

category_id_1

Special Fields

active must be set to Active or InActive; default value will be Active .

barcode will default to process if not provided .

quantity_required must be set to Yes or No .

one_scan_completion must be set to Yes or No .

category_id_1 must be an existing Process Category .

Last Updated Date : 03/01/2023

Minimal Example

```
curl -X POST -H "Cookie: user=USER_TOKEN_FROM_LOGIN" -H "Content-Type: application/json" -d '{
    "process" : "Test Process"
}' 'https://<company_name_here>.flowtrac.com/api/processes'
```

Complete Example

```
curl -X POST -H "Cookie: user=USER_TOKEN_FROM_LOGIN" -H "Content-Type: application/json" -d '{
    "process" : "Test Process",
    "active" : "Active",
    "barcode" : "Test Barcode",
    "quantity_required" : "Yes",
    "one_scan_completion" : "Yes",
    "category_id_1" : "00000000-0000-0000-0000-000000000000"
}' 'https://<company_name_here>.flowtrac.com/api/processes'
```

PUT Requests

Non-nullable Columns

process
active
quantity_required

Nullable Columns

one_scan_completion
category_id_1

Example

```
curl -X PUT -H "Cookie: user=USER_TOKEN_FROM_LOGIN" -H "Content-Type: application/json" -d '{
    "id" : "00000000-0000-0000-0000-000000000000",
    "active" : "InActive",
    "quantity_required" : "No"
}' 'https://<company_name_here>.flowtrac.com/api/processes'
```

Special Fields

active must be set to Active or InActive; default value will be Active.

Last Updated Date : 03/01/2023

barcode will default to process if not provided .

quantity_required must be set to Yes or No .

one_scan_completion must be set to Yes or No .

category_id_1 must be an existing Process Category .

GET Requests

Filterable Columns

id	category_id_1
comapny_id	created
active	created_by
process	created_with
barcode	edited
quantity_required	edited_by
work_center	edited_with
one_scan_completion	

Example

```
curl -X GET -H "Cookie: user=USER_TOKEN_FROM_LOGIN" -H "Content-Type: application/json" 'https://<company_name_here>.flowtrac.com/api/processes?processes=MyProcess'
```

DELETE Requests

Example

```
curl -X DELETE -H "Cookie: user=USER_TOKEN_FROM_LOGIN" -H "Content-Type: application/json" -d '{
    "id" : "00000000-0000-0000-0000-000000000000"
}' 'https://<company_name_here>.flowtrac.com/api/processes'
```

Note

The DELETE request will set the active status of the Process to InActive rather than actually deleting the record.